

READY-TO-USE EJECTION TECHNOLOGY

WE SUPPLY READY-TO-USE EJECTION TECHNOLOGY!

Whether cylindrical, shouldered or flat ejectors, punches or ejector sleeves: We provide ejector technology according to the requirements of your tool. Your internal time input is reduced to a minimum by ordering the completely ready-to-install ejectors.



CONTOUR MACHINING

We make your contour to ours and produce completely according to your data. Ejectors are shortened, locked and milled to specified tolerances. Depending on the field of application or requirements, we optionally offer DLC coating.

CUT-TO-LENGTH SERVICE FOR EJECTORS & EJECTOR SLEEVES

The DUOSCHLIFF cutting machine allows shortening of workpieces and then grinding to the desired length in one operation. With appropriate dexterity and experience our “cut-to-length specialists” achieve an accuracy of +/- 0,01 mm.

AT A GLANCE

- › Ready-to-use ejection technology
- › Individual lengths
- › Lot size starting from 1 piece
- › Most extensive range of ejectors and sleeves



Shape	Diameter	Length (mm)					
		10–35 L-tol. 0,02	36–300 L-tol. 0,02	301–500 L-tol. 0,02	501–800 L-tol. 0,03	801–1000 L-tol. 0,04	1001–1250 L-tol. 0,05
A+D	0,5–1,99	•	•	•			
A+D	2,00–8,00	•	•	•	•	•	•
A+D	8,01–13,00	•	•	•	•	•	•
A+D	13,01–20,00	•	•	•	•	•	•
A+D	> 20,00		•	•	•	•	•
CH			•	•			
FA			•	•			
Sleeves			•	•	•	•	

MARKING

State-of-the-art laser control allows high-precision engraving. Even delicate structures and markings can be incorporated. Almost all materials can be provided with a durable, water- and smudge-resistant label.



KNARR VERTRIEBS GMBH

Gunterstraße 31
95233 Helmbrechts
Germany

Phone +49 9252 9993-500

Fax +49 9252 9993-33

E-Mail sales@knarr.com

Misprint, price and product changes are reserved.

You can find our general terms and conditions on our website – www.knarr.com

EN – 11/2024